

**Super Omega 23:1 – 34:1 – 40:1.**  
Complete with Accessories. Nozzle not included.

CODE	DESCRIPTION
K65403	Super Omega 23:1 On trolley
K68403	Super Omega 23:1 Stainless Steel On trolley
K65403/1	Super Omega 23:1 On trolley with 1/4" revolving fitting
K68403/1	Super Omega 23:1 Stainless Steel On trolley with 1/4" revolving fitting
K65409	Super Omega 23:1 On wall bracket
K68409	Super Omega 23:1 Stainless Steel On wall bracket
K65409/1	Super Omega 23:1 On wall bracket with 1/4" revolving fitting
K68409/1	Super Omega 23:1 Stainless Steel On wall bracket with 1/4" revolving fitting
K65404	Super Omega 34:1 On trolley
K68404	Super Omega 34:1 Stainless Steel On trolley
K65404/1	Super Omega 34:1 On trolley with 1/4" revolving fitting
K68404/1	Super Omega 34:1 Stainless Steel On trolley with 1/4" revolving fitting
K65410	Super Omega 34:1 On wall bracket
K68410	Super Omega 34:1 Stainless Steel On wall bracket
K65410/1	Super Omega 34:1 On wall bracket with 1/4" revolving fitting
K68410/1	Super Omega 34:1 Stainless Steel On wall bracket with 1/4" revolving fitting
K65415	Super Omega 34:1 Zinc
K65405	Super Omega 40:1 On trolley
K68405	Super Omega 40:1 Stainless Steel On trolley
K65405/1	Super Omega 40:1 On trolley with 1/4" revolving fitting
K68405/1	Super Omega 40:1 Stainless Steel On trolley with 1/4" revolving fitting
K65411	Super Omega 40:1 On wall bracket
K68411	Super Omega 40:1 Stainless Steel On wall bracket
K65411/1	Super Omega 40:1 On wall bracket with 1/4" revolving fitting
K68411/1	Super Omega 40:1 Stainless Steel On wall bracket with 1/4" revolving fitting



 **Pneumatic engine anti-freeze**



Complete with FRL group, line filter, drain valve, suction and recirculation system. More guns can be used at the same time.

**Accessories**

With L91X airless spray gun with M16X1,5 revolving fitting

CODE	DESCRIPTION
18064	High pressure hose Ø 3/8" with M16X1,5 fitting 10 m
11130	L91X airless spray gun with M16X1,5 revolving fitting
18270	Super Fast Clean base
SFC	*Super Fast Clean nozzle

With L91X airless spray gun with 1/4" revolving fitting

CODE	DESCRIPTION
18064	High pressure hose Ø 3/8" with M16X1,5 fitting 10 m
11131	L91X airless spray gun with 1/4" revolving fitting
3276	Nipple M16x1,5 – 1/4"
18270	Super Fast Clean base
SFC	*Super Fast Clean nozzle

**Technical features**  
Super Omega 23:1 – 34:1 – 40:1

<b>Air pressure supply:</b>	3/6 bar
<b>Max working pressure:</b>	Ratio 23:1 138 bar Ratio 34:1 204 bar Ratio 40:1 240 bar
<b>Max flow rate:</b>	Ratio 23:1 14 l/m Ratio 34:1 11 l/m Ratio 40:1 9 l/m
<b>C.C. cycle:</b>	Ratio 23:1 230 Ratio 34:1 185 Ratio 40:1 139

### Ghibli Ratio 30:1 - 40:1. Without Accessories

CODE	DESCRIPTION
96000	Ghibli 30:1 On trolley
96058	Ghibli 30:1 Stainless Steel On trolley
96033	Ghibli 40:1 On trolley
96059	Ghibli 40:1 Stainless Steel On trolley
96034	Ghibli 30:1 On wall bracket
96044	Ghibli 30:1 Stainless Steel On wall bracket
96035	Ghibli 40:1 On wall bracket
96037	Ghibli 40:1 Stainless Steel On wall bracket

Pump on trolley complete with FRL unit, line filter, drain valve, suction system with recirculation .

The Larius heater Ref. 6099 can be combined.

### Accessories

CODE	DESCRIPTION
35014	High pressure hose Ø ¼" with M16X1,5 fitting, 7,5 m Optional: Ref. 18022 High pressure hose Ø ¼" with ¼" fitting, 7,5 m
11200	AT250 airless spray gun with M16 x1,5 revolving fitting and super fast clean base Ref. 18270 Optional: Ref.11250 AT250 Airless spray gun with ¼" revolving fitting and super fast clean base Ref. 18270
18270	Super Fast Clean base
SFC	*Super Fast Clean nozzle

\*Standard nozzles can be optionally mounted. See PG. 176

### Kit

CODE	DESCRIPTION
40005	Repair kit AT250 airless spray gun
40400	Filters kit for AT250 airless spray gun
40026	Trigger kit for AT250 airless spray gun
40050	Ghibli motor kit
40055	Gaskets kit Ghibli 30:1
40060	Gaskets kit Ghibli 40:1
40401	Screw bar kit for Ghibli 30:1



### Technical features

<b>Air pressure supply:</b>	3/8 bar
<b>Max working pressure:</b>	Ratio 30:1 240 bar Ratio 40:1 320 bar
<b>Max flow rate:</b>	Ratio 30:1 4,5 l/m Ratio 40:1 3,3 l/m
<b>C.C. cycle:</b>	Ratio 30:1 60 Ratio 40:1 45

